

DESCRIPTION

Prolab[®] Hi-Fiber Rabbit diet provides superior palatability in a nearly dust-free pelleted product. This diet provides a uniquely balanced and nutritionally complete formula. It provides adequate energy along with the essential nutrients required for animals on a weight maintenance program. Refer to the Shelf Life section at the end of this book for product longevity information and storage suggestions.

Features and Benefits

- High fiber allows free-choice feeding without excessive weight gain
- Nutritionally complete diet
- Provides Constant Nutrition[™]

Product Forms Available

- Pellet, 4 mm diameter x 10 mm length (5/32" diameter x 3/8" length)

GUARANTEED ANALYSIS

Crude protein not less than	16.0%
Crude fat not less than	2.0%
Crude fiber not less than	19.0%
Crude fiber not more than	24.0%
Calcium (Ca) not less than	0.8%
Calcium (Ca) not more than	1.3%
Phosphorus (P) not less than	0.5%
Salt (NaCl) not less than	0.5%
Salt (NaCl) not more than	1.0%
Vitamin A not less than	2900 IU/lb
Ash not more than	9.0%
Added minerals not more than	3.5%

INGREDIENTS

Soybean hulls, alfalfa meal, wheat middlings, soybean meal, ground yellow corn, dicalcium phosphate, salt, calcium carbonate, ferrous sulfate, manganous oxide, calcium iodate, cobalt carbonate, copper sulfate, zinc oxide, magnesium oxide, vitamin A acetate, cholecalciferol, dl-alpha tocopheryl acetate, cyanocobalamin, riboflavin, nicotinic acid, calcium pantothenate, menadione dimethylpyrimidinol bisulfite (source of vitamin K), folic acid, pyridoxine hydrochloride, thiamin mononitrate, biotin, choline chloride, sodium selenite.

FEEDING DIRECTIONS

Feed to adult animals on a weight maintenance program. Animals should be fed once a day. Feed all the pellets the animals will consume without waste. If feed is left over, reduce the amount of the next feeding. If animals gain an undesirable amount of weight, it may be necessary to restrict the amount of feed offered. Keep clean, fresh feed and water available at all times. When changing feeds, do it over a 7-10 day period.

Important: A feeding program is only as effective as the management practices followed.

Caution: Store in a dry, well ventilated area, free of pests and insects. Do not use moldy or insect-infested feed.

CHEMICAL COMPOSITION¹

Nutrients²		
Protein, %	16.5	Sulfur, % 0.17
Arginine, %	0.79	Sodium, % 0.32
Cystine, %	0.19	Chlorine, % 0.62
Glycine, %	0.52	Fluorine, ppm 16
Histidine, %	0.48	Iron, ppm 400
Isoleucine, %	0.82	Zinc, ppm 65
Leucine, %	1.12	Manganese, ppm 56
Lysine, %	0.98	Copper, ppm 12
Methionine, %	0.18	Cobalt, ppm 0.27
Phenylalanine, %	0.95	Iodine, ppm 0.45
Tyrosine, %	0.77	Chromium, ppm 1.4
Threonine, %	0.61	Selenium, ppm 0.17
Tryptophan, %	0.25	
Valine, %	1.07	Vitamins
Serine, %	0.87	Carotene, ppm 25
Aspartic Acid, %	1.93	Vitamin K (as menadione), ppm . 3.0
Glutamic Acid, %	3.21	Thiamin Hydrochloride, ppm . 5.9
Alanine, %	0.77	Riboflavin, ppm 8.9
Proline, %	1.17	Niacin, ppm 37
Taurine, %	0.00	Pantothenic Acid, ppm 11
Fat (ether extract), %	1.9	Choline Chloride, ppm 980
Fat (acid hydrolysis), %	3.1	Folic Acid, ppm 1.3
Cholesterol, ppm	0	Pyridoxine, ppm 4.1
Linoleic Acid, %	1.08	Biotin, ppm 0.32
Linolenic Acid, %	0.08	B ₁₂ , mcg/kg 24
Arachidonic Acid, %	0.00	Vitamin A, IU/gm 11
Omega-3 Fatty Acids, %	0.08	Vitamin D ₃ (added), IU/gm . . . 0.9
Total Saturated Fatty Acids, %	0.33	Vitamin E, IU/kg 42
Total Monounsaturated		Ascorbic Acid, mg/gm —
Fatty Acids, %	0.46	
Fiber (Crude), %	21.9	Calories provided by:
Neutral Detergent Fiber ³ , % . . .	41.2	Protein, % 26.667
Acid Detergent Fiber ⁴ , %	27.7	Fat (ether extract), % 6.909
Nitrogen-Free Extract		Carbohydrates, % 66.424
(by difference), %	41.1	*Product Code
Starch, %	6.4	1. Based on the latest ingredient
Glucose, %	0.2	analysis information. Since
Fructose, %	0.7	nutrient composition of natural
Sucrose, %	0.6	ingredients varies, analysis will
Lactose, %	0.0	differ accordingly.
Total Digestible Nutrients, %	66.8	2. Nutrients expressed as percent of
Gross Energy, kcal/gm	3.73	ration except where otherwise
Physiological Fuel Value⁵,		indicated. Moisture content is
kcal/gm	2.47	assumed to be 10.0% for the
Metabolizable Energy,		purpose of calculations.
kcal/gm	2.09	3. NDF = approximately cellulose,
		hemi-cellulose and lignin.
Minerals		4. ADF = approximately cellulose
Ash, %	8.6	and lignin.
Calcium, %	0.98	5. Physiological Fuel Value
Phosphorus, %	0.52	(kcal/gm) = Sum of decimal
Phosphorus (non-phytate), % . .	0.35	fractions of protein, fat and carbo-
Potassium, %	1.34	hydrate (use Nitrogen Free
Magnesium, %	0.27	Extract) x 4,9,4 kcal/gm
		respectively.